




# > APR6

Very good printing quality  
 High speed printing capability  
 Excellent receptor multi-compatibility and sensitivity


**APR®6 is the standard wax-resin ribbon of the inkanto range:**  
 very versatile, it has been conceived to print all kinds of self-adhesive labels at the lowest heat settings. It also provides a higher level of mechanical resistance compared to wax ribbons.




## Printing receptor

papers		synthetics	
Vellum	●●●	PP	●●●
Coated	●●●	PE	●●●
Glossy coated	●●●	PET	●●●

## Printer settings



## Print resistance



## Compliant with the following regulations

REACH / SVHC 1907/2006/EC
Food Contact 1935/2004/EC
Heavy metals 2011/65/EU
California Proposition 65
Halogen restrictions

## Your ribbon identity

Colours: ● ○ ● ● ● ● ●


Length (m): .....

Width (mm): .....

Part number: .....

Your distributor: .....

Contact : .....





# > APR6

## Application fields




## Product performance

print quality		
90°Barcode	85	A <sub>a</sub> Small characters
0°Barcode	100	2D Barcode
		Logos
		Blackness <small>*Optical Density by Reflection, measured using a densitometer.</small>
technical resistances		
Heat	100°C / 212°F	Light/Blue Wool
	300°C / 572°F	Solvents
Water/Submerge	100	Rubbing

## Product physico-chemical features

product structure	
PET film	Thickness: 4,5 µm
Ink	Wax-Resin
Melting point	75°C/167°F
Backcoating	Silicon based
Coefficient of Friction	Kd < 0.2
Ribbon thickness	< 9 µm
The ribbon is anti static build-up treated	



## Storage

### storage conditions

12 months recommended  
20-80 % Humidity Rate, 5-35°C (40-95°F)

## Waste management

inkanto rolls and their packaging allow an optimised waste management. For more information please contact ARMOR.

## The inkanto benefits



› **Warranty**  
This product is guaranteed for life against any manufacturing defect in normal conditions of use and storage.



› **Quality commitment**  
Easy to use with guaranteed product performance: the certificate of conformity for your product can be accessed via the flashcode on the box.



› **Easy to identify products:**  
The inkanto rolls families are identified by color codes. The roll labels highlight the important information about the product.



› **Your product is delivered with a cleaning wipe**  
To clean the print head and maintain the maximum performance of your printer.



› **Packing**  
Consistent packaging units depending on the roll dimensions.

## A certified and approved production site



**Quality, health & safety and environmental systems:**  
ISO 9001  
OHSAS 18001  
ISO 14001  
ISO 50001 (France only)



**Responsible Care**  
The charter of the International Council of Chemical Associations for improvements in health & safety and the environment.



**Global Compact**  
UN initiative inviting companies to apply fundamental ethical and environmental values.