

V110 ACCESSORY SPEC BROCHURE



Getac (UK) Ltd.

Getac House, Stafford Park 12, Telford, Shropshire TF3 3BJ, United Kingdom
Tel : +44 (0) 1952 207 222 Sales-Getac-UK@getac.com | www.getac.com/en/

CARRY BAG

Features & Benefits

Constructed of durable Nylon / air mesh fabric, and featuring an adjustable padded shoulder strap, this compact carry bag provides sturdy protection for your F110 tablet while giving maximum comfort. The functional pockets inside offer the optimal solution to transport the tablet and needed accessories together in one case, delivering extra convenience and go-anywhere productivity to mobile professionals.

Product Information

Dimensions : L 340 x W 260 x D 65 mm
Weight : 760g
Main Material : Nylon, air mesh fabric

SKU ID

GMBCX2



EXTERNAL DUAL BAY MAIN BATTERY CHARGER

Features & Benefits

This external dual-bay main battery charger is designed to charge up to 2 batteries at the same time. It provides you the benefit of charging and storing the 2 main batteries together when there is limited space or power sockets.

Product Information

AC Input : 100V~240V
DC Output : 13.05V, 2.4A Max.
Number of charge bays : 2 bays
Dimension : L 160 x W 180 x H 72.5mm
Weight : 1.2kg

SKU ID

GCMCA6 (AU Power Cord)
GCMCC6 (CHN Power Cord)
GCMCE6 (EU Power Cord)
GCMCI6 (IN Power Cord)
GCMCK6 (UK Power Cord)
GCMCT6 (TW Power Cord)
GCMCU6 (US Power Cord)



Multi-bay Battery Charger Eight Bay

Features & Benefits

The 8-bay multi-battery charger is designed to charge multiple battery packs simultaneously and provides users with an efficient charging solution.

Product Information

AC Input : 100V~240V AC, 4.2A 50~60Hz

DC Output : 19.5V, 16.9A

* w/ 330W AC Adapter

Number of charge bays : 8 bays

Dimension : L 465 x W 245 x H 95.3~111.3mm

Weight : 4.7 kg ,not including battery packs

SKU ID

GCECEC (EU Power Cord)

GCECUC (US Power Cord)

GCECKC (UK Power Cord)

GCECAC (AU Power Cord)

GCECCC (CHN Power Cord)

GCECIC (IN Power Cord)



V110-BATTERY 3-CELL (2100 MAH)

Features & Benefits

For mobile workers who need always-on performance, spare batteries may still be needed for extended use in the field. This battery pack is only compatible with the V110 and is hot-swappable for easy installation and replacement. On the exterior side of the battery pack is a battery charging indicator. You can press the push-button to see the number of LEDs that light up. Each LED represents 20% power charged.

Product Information

Battery Type : Li-ion

Voltage : 11.1V

Capacity : typical 2100mAh ; min. 2040mAh

Dimensions : L 130.42 x W 70 x H 10.06 mm

Weight : 150 g

SKU ID

GBM3X1



100W TYPE-C AC ADAPTER

Features & Benefits

The 100W Type-C AC adapter as an additional charging solution to charge Getac rugged tablets and laptops with inherent USB type-C ports as well as the power delivery functionality. The Type-C adapter features a reversible connector type that reduces connector damages due to misuse.

Product Information

Input : 100V-240V
Output : 20V, 5A, 100W
Dimensions : L 140 x W 65 x H 25mm
Weight : 326g
Input cable length : 1830mm
Output cable length : 1500mm

SKU ID

GAT1E1 (EU Power Cord)
GAT1U1 (US Power Cord)
GAT1K1 (UK Power Cord)
GAT1A1 (AU Power Cord)
GAT1C1 (CHN Power Cord)
GAT1T1 (TW Power Cord)
GAT1I1 (IN Power Cord)



65W AC ADAPTER WITH POWER CORD

Features & Benefits

This adapter is designed to power the device and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your designated country.

Product Information

Input : 100V-240V, 50~60Hz, 1.5A
Output : 19V, 3.42A, 65W
Dimensions : L 108.3 x W 46.3 x H 30mm
Weight : 250g
Input cable length : 1830mm
Output cable length. : 1500mm

SKU ID

GAA6E5 (EU Power Cord)
GAA6U5 (US Power Cord)
GAA6K5 (UK Power Cord)
GAA6A5 (AU Power Cord)
GAA6C5 (CHN Power Cord)
GAA6T5 (TW Power Cord)
GAA6G5 (ARG Power Cord)
GAA6I5 (IN Power Cord)
GAA6J5 (JP Power Cord)
GAA6R5 (KR Power Cord)



90W MIL-STD-461 AC ADAPTER

Features & Benefits

This MIL-STD-461G AC adapter has passed the military standard and testing specification to ensure the conducted emissions (CE), conducted susceptibility (CS), radiated emissions (RE), and radiated susceptibility (RS) of the adapter can meet the requirements for the control of electromagnetic interference.

Product Information

Input : 115V-230V, 1.6A 50~60Hz
Output : 19V, 4.74A, 90W
Dimensions : L 170 x W 75 x H 45mm
Weight : 880g (without power cord)
Input cable length : 1530mm
Output cable length : 1800mm

SKU ID

GAAGE5 (EU Power Cord)
GAAGU5 (US Power Cord)
GAAGK5 (UK Power Cord)
GAAGC5 (CHN Power Cord)
GAAGA5 (AU Power Cord)
GAAGI5 (IN Power Cord)
GAAGT5 (TW Power Cord)



OFFICE DOCK WITH AC ADAPTER

Features & Benefits

The Getac office dock brings out multiple I/O ports for connecting essential peripheral devices in the office environment. Through the integrated ethernet, RS232, or USB connections, users can quickly collect and synchronize field data with central offices for real-time reporting and analytics.

Product Information

Dimension : L 301.67 x W 153.82 x H 40.42mm
Weight : 825g
Docking Connector : POGO * w / 90W AC Adapter
I / O Ports :
DC in Jack x 1
Audio Output x 1
Microphone x1
USB 2.0 x 3
USB 3.0 x1
LAN x 1
HDMI x 1
VGA x 1
Serial Port x 2
Kensington Lock x 1



SKU ID

GDOFER (EU Power Cord)
GDOFUR (US Power Cord)
GDOFKR (UK Power Cord)
GDOFAR (AU Power Cord)
GDOFCR (CHN Power Cord)
GDOFTR (TW Power Cord)
GDOFGR (AG Power Cord)

CAPACITIVE HARD TIP STYLUS & TETHER

Features & Benefits


This capacitive stylus is lightweight and easy to control, allowing smooth and comfortable interaction with the touch screen without worrying about scratching the screen or leaving fingerprints on it. The stylus comes with a tether to keep it attached to the tablet, so it doesn't get lost or misplaced.

Product Information

Stylus Dimensions : 129.2mm ; Ø7.7mm
Tip size : 3.8mm ; Ø3.5mm
Tether Length : 304mm

SKU ID

GMPSX9



DIGITIZER PEN WITH TETHER

Features & Benefits

The digitizer pen provides a more accurate and easy way for data entry and handwritten signature. A shortcut button allows the right mouse button functionality when using the pen.

Product Information

Stylus Dimensions : 133.9mm ; Ø7.65mm
Tether Length : 304mm

SKU ID

GMPDX4



GETAC DS100 USB-C DOCKING STATION

Features & Benefits

The Getac DS100 USB-C Docking Station, featuring a slim and compact design, seamlessly consolidates cables on the workstation. This allows users to swiftly create a personalized workspace and organize their daily office environment. Compatible with various Getac laptop and tablet models, it provides extra connectivity and multiple I/O ports for additional peripherals and data sources. With support for MAC Address Pass-Through, Wake-on-LAN (WoL), and PXE Boot, the DS100 aids IT administrators in maintaining a secure, efficient, and well-managed network infrastructure. (The docking station's performance, including transfer speeds and display capabilities, may be limited by chipset and operating system when used with Getac Android systems. See the user manual for details.)

Product Information

Dimensions: L 207 x W 90 x H 31mm (8.15" x 3.54" x 1.22")

Weight: 335g (0.74lbs)

Power Cable Length: 1.8m (5.9ft)

USB-C Upstream Cable Length: 1m (3.28ft)

I/O Ports: DC in Jack x 1, Audio in/out combo x 1, USB 2.0 x 2, USB 3.2

Gen 1 Type-A x 3, USB 3.2 Gen 2 Type-C x 2, LAN x 1, HDMI 2.0 x 1,

Display port x 2

SKU ID

GDDSE1 (EU Power Cord)

GDDSU1 (US Power Cord)

GDDSK1 (UK Power Cord)


GDDSA1 (AU Power Cord)

GDDSC1 (CHN Power Cord)

GDDST1 (TW Power Cord)

GDDSI1 (IN Power Cord)

(Long production lead time. Estimated ready-to-order date: 2024/12/31)



PROTECTION FILM AG

Features & Benefits

This screen protection film is cut precisely to fit the V110 and is easy to install and remove without leaving a sticky residue. With anti-glare coating, it not only protects the screen from the rigors of daily use but also helps to diffuse light on the screen and reduces glare, providing effortless readability for displayed information under common ambient lighting conditions.

Product Information

Dimensions : L 282.4 x W 175 x D 0.13mm
Main Material : PET

SKU ID

GMPFX4



HANDLE

Features & Benefits

The handle is included in the standard package of V110, giving extra mobility to field workers to grab-and-go when the situation occurs. Users could easily install or remove it from the strap holder attached to the V110 corner bumpers. The handle also provides a slot for placing a stylus or digitizer pen.

Product Information


Dimension : 163 x 20mm

Weight : 50g

Main Material : PC, ABS, TPU

SKU ID

GMHDX1



HARD HANDLE

Features & Benefits

The multi-functional hard handle offers extra mobility to field workers to grab-and-go when situation required. The hard handle comes with a slot for storing a stylus or digitizer pen and also acts as a support stand to provide a better viewing angle when converting to tablet mode. This hard handle is also available as a factory installed option, where Getac professionals could ensure the installation meets the Getac standard.

Product Information

Dimension : 312 x 20mm
Weight : 155g
Main Material : PC, TPR

SKU ID

GMHDX2



SHOULDER STRAP 2-POINT

Features & Benefits

This shoulder strap attaches to two D-rings on the “F110 Bracket with Rotating Hand Strap & Kickstand” (sold separately) and is adjustable to fit most body sizes for both cross-body and shoulder carry. With its durable, sturdy design, the strap not only provides a comfortable, grip-free carrying option of the tablet but also helps in avoiding accidental drops while on the move.

Product Information

Dimensions : 1530 x 38 mm

Main Material : Polyester

* The F110 Bracket with Rotating Hand Strap & Kickstand- sold separately, is required for use with the Shoulder Strap.

SKU ID

GMS2X4



SPARE SSD KIT

Features & Benefits

Spare SSD Kit is designed to provide you the ease of installation and allow you to remove your confidential data when your device is sent for service.

Product Information

Dimension : 104.6 x 53.1 x 9.3 mm
Weight : 49.7g

SKU ID

GSSEX7 (256GB PCIe SSD)
GSSFx8 (512GB PCIe SSD)
GSSGX9 (1TB PCIe SSD)
GSSHx8 (2TB PCIe SSD)



GETAC RUGGED KEYBOARD

Features & Benefits

The Getac Rugged Keyboard is designed with VESA and AMPS mounting capability that allow it to be placed firmly in the vehicle. It has gone through vigorous test that comply with MIL-STD 810G and IP65. It also features with 88 full sized keys, red LED backlight with five levels of brightness and impressive key response that will truly enhance user experience.

Product Information

Dimension : 307.7 x 194 x 32 mm
 Weight : 870g
 Compatibility : Windows 10 Pro, Windows 11 Pro
 Backlit : Red LED. five levels of brightness
 Coiled Cable Length : USB 2.0 interface, 1.83m

SKU ID

Getac Rugged Keyboard	Getac Rugged Keyboard with Smart card and USB 2.0	Getac Rugged Keyboard with Smart card and LF/HF RFID
GDKBU9 (US) GDKBC9 (UK) GDKBB9 (DE) GDKBD9 (FR)	GDKBU6 (US) GDKBC6 (UK) GDKBB6 (DE) GDKBD6 (FR)	GDKBU7 (US) GDKBC7 (UK) GDKBB7 (DE) GDKBD7 (FR)



X-STRAP

Features & Benefits

This X-Strap is attached to the four bottom corners on the V110 and is adjustable to fit the users' hands for a firm grip. With its durable, sturdy design, the strap provides a comfortable carrying option for V110 Tablet mode and helps to avoid accidental drops while on the move.

Product Information

Dimensions : 160 x 135 mm
Main Material : Nylon, Synthetic leather

SKU ID

GMHSX2



120W DC-DC VEHICLE ADAPTER

Features & Benefits

The 120W vehicle adapter comes with a choice of two types of connections: a bare wire with individual wire ends already stripped, and a cigarette lighter plug for easy connection to the cigarette lighter socket in the vehicle interior, providing a convenient way to charge and power your tablet while you are on the road.

Product Information

Input Voltage : 11VDC~ 32VDC

Output Voltage : 19VDC

Output current : 6.32A Max.

Case Dimensions : L 131.5 x W 65.6 x H 30mm

Weight : 362g

Input cable length : 1900mm

Output cable length : 1000mm

SKU ID

GAD2X4 (Cigarette Lighter Plug Version)

GAD2X8 (Bare Wire Version)

